

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
23 October 2003 (23.10.2003)

PCT

(10) International Publication Number
WO 03/086903 A1

(51) International Patent Classification⁷: B65D 85/10, 5/42

(21) International Application Number: PCT/EP03/50111

(22) International Filing Date: 17 April 2003 (17.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
BO2002A000203 17 April 2002 (17.04.2002) IT

(71) Applicant (for all designated States except US): G.D. SOCIETÀ PER AZIONI [IT/IT]; Via Battindarno, 91, I-40133 BOLOGNA (IT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): PETRUCCI, Luca [IT/IT]; Via Tiraboschi, 27, I-41013 CASTELFRANCO EMILIA (IT). DRAGHETTI, Fiorenzo [IT/IT]; Via San Donino, 506, Frazione Villafontana, I-40059 MEDICINA (IT).

(74) Agents: JORIO, Paolo et al.; STUDIO TORTA S.r.l., Via Viotti, 9, I-10121 TORINO (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CONTAINER OF CIGARETTES



(57) Abstract: A container (1) of cigarettes, having an outer package (2) housing a reusable box (4), and a number of packets (3) of cigarettes arranged, with the box (4), in a given order and which act as a refill for the box (4).

WO 03/086903 A1

CONTAINER OF CIGARETTES

TECHNICAL FIELD

The present invention relates to a container of cigarettes.

More specifically, the present invention relates to a container of cigarettes comprising an outer package and a number of packets of cigarettes arranged in a given order inside said outer package.

BACKGROUND ART

Known containers of cigarettes of the above type, normally referred to as "cartons", comprise a number of packets, each of which is used individually and therefore structured to withstand for a given length of time the stress to which a packet of cigarettes is subjected in use, and to preserve, for a relatively long time prior to use, the original characteristics of the cigarettes in the packet, regardless of external environmental conditions.

This is normally achieved by providing each packet of cigarettes with a package comprising an inner foil wrapping, a rigid or soft outer wrapping designed to

withstand mechanical stress during use, and a transparent outer overwrapping for sealing the packet until it is opened.

Such a packet is obviously relatively expensive, particularly in view of the fact that the outer wrapping, which is normally the most expensive part of the packet after the cigarettes, cannot be reused.

US5301805 discloses a limited-life reusable hard pack for encasing a soft pack of cigarettes; the reusable hard pack permits easy access to the cigarettes by the feature of a slideable interior wall attached to a pivotable bottom wall which when moved relative to the exterior walls of the hard pack pushes the soft pack upward and beyond the top of the hard pack. An overhang on a top wall extends across and beyond one side wall to prevent the bottom wall from pivoting downward, beyond the bottom plane of the hard pack. The opposite side of the top wall leaves a gap through which cigarettes may be removed without opening the top closure; a tuck portion is pivotably attached to the top wall. When the pack is closed, the tuck portion lies inside and against the front wall of the pack. One such hard pack is collapsed and inserted into a standard ten-pack carton; in particular one of these reusable packs may be inserted into a standard ten-pack carton along with ten standard soft packs or foil packs, the consumer inserts a foil or soft pack into the reusable pack, then discards the inner foil or soft pack when finished, retaining the reusable

pack for a fresh foil or soft pack and the consumer may then discard the reusable case after the last soft pack has been smoked.

US5669493 discloses a bundle pack, or carton, for cigarette packs that is made of thin cardboard and is provided with perforations and/or die-cut lines that allow separation of an end portion of the carton; the tabs that can be separated end portion of the carton having folded to form a smaller reusable box adapted to contain and protect at least one standard pack of cigarettes.

Both US5301805 and US5669493 disclose a carton for cigarette packs having an outer package housing a number of soft packets of cigarettes and a flat blank for making a rigid reusable box; the consumer has to make the rigid reusable box starting from the blank. However, the quality of the rigid reusable box is relatively not very good due to the fact that the rigid reusable box has to be made by the consumer using the flat blank; furthermore, the user could have some problems in making the rigid reusable box using the flat blank.

DISCLOSURE OF INVENTION

It is an object of the present invention to at least partly eliminate the aforementioned drawbacks by enabling manufacturers to dispense with high-cost packaging while still providing the consumer with packets of the same appearance and mechanical strength, and which are equally easy to use.

According to the present invention, there is provided a container of cigarettes comprising an outer package, a number of packets of cigarettes arranged in a given order inside the outer package and at least one reusable box housed inside the outer package; the container being characterized by the fact that the reusable box is arranged side by side with the packets, is arranged with the packets in said given order, and contains one of the packet; each one of the other packets acting as a refill for the reusable box.

Since the necessary mechanical strength during use is provided entirely by the reusable box, into which each packet is inserted when used, the package of each packet can be greatly simplified and preferably limited to the airtight overwrapping alone.

BRIEF DESCRIPTION OF THE DRAWINGS

A non-limiting embodiment of the present invention will be described by way of example with reference to the accompanying drawings, in which:

Figure 1 shows a view in perspective, with parts removed for clarity, of a preferred embodiment of the container according to the present invention;

Figure 2 shows a larger-scale view in perspective of a first detail in Figure 1;

Figure 3 shows a larger-scale view in perspective of a second detail in Figure 1;

Figure 4 shows a view in perspective of how the Figure 2 and 3 details are used.

BEST MODE FOR CARRYING OUT THE INVENTION

Number 1 in Figure 1 indicates as a whole a container of cigarettes, hereinafter referred to as a "carton", comprising an outer package 2, a number of packets 3 of cigarettes housed inside outer package 2, and at least one reusable box 4 housed inside outer package 2 side by side with packets 3 and arranged with packets 3 in a given order.

As shown more clearly in Figure 4, box 4 is a closed box comprising a lid 5, which can be opened for access to an opening 6 shaped and sized to allow the passage of a packet 3, and the inner shape of box 4 and the outer shape of each packet 3 are substantially complementary, so that a packet 3 can be inserted completely and closed inside box 4, and so that each packet 3 acts as a refill for box 4.

In the example shown in the accompanying drawings, carton 1 is a conventional carton in the form of an elongated rectangular parallelepiped, box 4 is a hinged-lid box in the form of a rectangular parallelepiped, and each packet 3 has an outer package 7 also in the form of a rectangular parallelepiped.

In connection with the above, it should be pointed out that a number of packets 3 and at least one box 4 - which may either be empty or originally contain a packet 3, but which in any case can be refilled with packets 3 - can be combined regardless of the shape of outer package 2, which may be any shape; of the type of package 2,

which may be any type; of the order in which packets 3 and box 4 are arranged inside outer package 2, which may be any order compatible with the shape and size of outer package 2; of the shape of box 4 and packets 3; of the type of box 4, which, in the example shown, as stated, is a hinged-lid type; and of the type of packets 3.

For it to be reused, box 4 is preferably made of relatively strong material, such as cardboard, plastic, or sheet metal. Whichever the case, box 4 is made of printable material, so that its outer surface can act as a support for graphics, indicated as a whole by 8, comprising images 8a and/or messages 8b.

To make packets 3 as environment-friendly and cheap as possible, outer package 7 of each packet 3 is preferably defined solely by an airtight outer wrapping 9 opened by means of a tear-off strip 10.

Outer wrapping 9, which may be transparent or opaque, is also made of printable material, so that its outer surface can act as a support for graphics, indicated as a whole by 11, comprising images 11a and/or messages 11b and not necessarily the same as graphics 8.

If outer package 7 also comprises an inner wrapping on which graphics 11 are printed, outer wrapping 9 is made of transparent material so that graphics 11 are visible from the outside.

According to a further embodiment (not shown in the attached drawings), inside the carton 1 there is provided a sheet of paper or carton, which has the function of

compensating the dimension of the box 4 in order to give uniform dimensions to the group of packets 3 inside the carton 1. The sheet of paper or carton may be printed and/or folded and can have the function of a coupon.

In actual use, once outer package 2 is opened, the user removes box 4 and, once the packet 3 possibly contained originally in box 4 is opened and used up, refills box 4 with packets 3 one after the other until carton 1 is emptied.

CLAIMS

1) A container of cigarettes comprising an outer package (2), a number of packets (3) of cigarettes
5 arranged in a given order inside the outer package (2) and at least one reusable box (4) housed inside the outer package (2); the container (1) being characterized by the fact that the reusable box (4) is arranged side by side with the packets (3), is arranged with the packets (3) in
10 said given order, and contains one of the packet (3); each one of the other packets (3) acting as a refill for the reusable box (4).

2) A container as claimed in Claim 1, wherein each said packet (3) comprises an outer package (7) in turn
15 comprising an airtight overwrapping (9).

3) A container as claimed in Claim 1 or 2, wherein each said packet (3) comprises an outer package (7) defined by an airtight overwrapping (9).

4) A container as claimed in Claim 2 or 3, wherein
20 said overwrapping (9) and said reusable box (4) are made of respective printable materials.

5) A container as claimed in one of Claims 1 to 4, wherein said reusable box (4) and each of said packets (3) are printed with first and, respectively, second
25 graphics (8, 11) visible from the outside.

6) A container as claimed in Claim 5, wherein said first graphics (8) are different from said second graphics (11).

7) A container as claimed in any one of Claims 1 to 6, wherein said reusable box (4) is a closed box comprising a lid (5) which can be opened and which closes an opening (6) shaped and sized to permit the passage of
5 a said packet (3).

8) A container as claimed in Claim 7, wherein the inner shape of said reusable box (4) and the outer shape of each said packet (3) are substantially complementary.

9) A container as claimed in any one of Claims 1 to
10 8, wherein said reusable box (4) is made of cardboard.

10) A container as claimed in any one of Claims 1 to 8, wherein said reusable box (4) is made of plastic material.


11) A container as claimed in any one of Claims 1 to
15 8, wherein said reusable box (4) is made of metal material.

12) A container as claimed in any one of Claims 1 to 11, wherein inside the container (1) there is provided a sheet of paper or carton, which has the function of
20 compensating the dimension of the box (4) in order to give uniform dimensions to the group of packets (3) inside the container (1)

13) A container as claimed in Claim 12, wherein the sheet of paper or carton is printed and have the function
25 of a coupon.

14) A container as claimed in Claim 12 or 13, wherein the sheet of paper or carton is folded.

1 / 2





INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/50111

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 B65D85/10 B65D5/42

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 44 40 555 A (OEMKES BETTINA) 14 June 1995 (1995-06-14) the whole document	1-9
A	EP 0 582 488 A (PHILIP MORRIS) 9 February 1994 (1994-02-09) abstract; claim 32; figures	1-9
A	US 5 669 493 A (FOCKE HEINZ ET AL) 23 September 1997 (1997-09-23) abstract; figures	1
A	US 2 242 914 A (KNOX WALTER F) 20 May 1941 (1941-05-20) abstract; figures	1,11
	-/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *Z* document member of the same patent family

Date of the actual completion of the international search

27 August 2003

Date of mailing of the international search report

04/09/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

SERRANO GALARRAGA, J

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/50111

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FR 2 642 405 A (ROSENTHAL CLAUDE) 3 August 1990 (1990-08-03) abstract; figures	1,7,10
A	US 6 244 017 B1 (FOCKE HEINZ ET AL) 12 June 2001 (2001-06-12) abstract; figures	1,12,13
A	US 3 721 335 A (GRANT C) 20 March 1973 (1973-03-20) abstract; figures	1,12
A	EP 0 346 025 A (PHILIP MORRIS) 13 December 1989 (1989-12-13) abstract; figures	1,12

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/50111

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 4440555	A	14-06-1995	DE 9318758 U1 DE 4440555 A1	10-02-1994 14-06-1995
EP 0582488	A	09-02-1994	US 5301805 A AT 148866 T DE 69308084 D1 DE 69308084 T2 DK 582488 T3 EP 0582488 A1 ES 2097984 T3 GR 3022934 T3 JP 6098748 A	12-04-1994 15-02-1997 27-03-1997 17-07-1997 26-05-1997 09-02-1994 16-04-1997 30-06-1997 12-04-1994
US 5669493	A	23-09-1997	DE 4418821 A1 BR 9502608 A CN 1117462 A ,B DE 59501248 D1 EP 0685409 A1 JP 8058778 A	07-12-1995 02-01-1996 28-02-1996 19-02-1998 06-12-1995 05-03-1996
US 2242914	A	20-05-1941	NONE	
FR 2642405	A	03-08-1990	FR 2642405 A1	03-08-1990
US 6244017	B1	12-06-2001	DE 19743120 A1 BR 9803951 A CN 1212942 A ,B EP 0905053 A2 JP 11171272 A	01-04-1999 14-12-1999 07-04-1999 31-03-1999 29-06-1999
US 3721335	A	20-03-1973	NONE	
EP 0346025	A	13-12-1989	US 4944394 A DE 68909844 D1 DE 68909844 T2 EP 0346025 A1 JP 2057549 A JP 2684416 B2	31-07-1990 18-11-1993 05-05-1994 13-12-1989 27-02-1990 03-12-1997